

FIG.1




FIG.2A




FIG. 2A

Substrate	Coupling Agent (X = silane or thiol)	Template Layer (Z = siloxane or metal-sulfide)
 $\text{MO}_x$ $\text{M} = \text{Si, Ti, In, Fe, ...}$ 40	 42	 44
 $\text{M or MM'}$ $\text{M} = \text{Au, Pt, Cu, ...}$ $\text{MM'} = \text{GaAs, CdSe, ...}$ 41	 42	 44

FIG. 2B








Substrate	Coupling Agent (X = OH, CO <sub>2</sub> H, PO <sub>3</sub> H <sub>2</sub> )	Template Layer (Z = alkoxy, amine, phosphate, or carboxylate)
 40	$\text{HO-R-NH}_2$ 42 R = alkyl or phenyl	 44  44
 II-IV  III-V 41	$\text{HOOC-R-NH}_2$ $(\text{HO})_2\text{OP-R-NH}_2$ 42 R = alkyl or phenyl	 Car  DAr 44

FIG.2B cont'd




FIG.3A

A	B	C	Ins./SC	Cond./SC	
$-\text{NH}_2$					Ins./Condl.
$\text{R}-\text{NH}_2$ $\text{R}-\text{NH}_2$			$-(\text{CH}_2)_n-$ $n=1-12$		
$-\text{NH}_2$					
$-\text{SiCl}_3$	$-\text{OH}$		$\text{B}-(\pi)-\text{B}$	$\text{A}-(\pi)-\text{A}$	SC/SC
	$-\text{OH}$		naphthalene perylene terylene anthracene pentacene	porphyrine phthalocyanine	

FIG.3B




FIG.4A




FIG.4B




FIG.4C




FIG. 5A




FIG. 5B




FIG. 5C




FIG. 5D

111 KING RD. • 717 2 825519 Sep. 30 2001 09:14PM PS 972 3 7109471 09/26 '01 11:18 NO.217 07/15



Fig. 6

The graph plots two optical properties of ZnO against wavelength from 200 nm to 1000 nm. The left y-axis represents the refractive index (n) in degrees, ranging from 10 to 40. The right y-axis represents the extinction coefficient (k) in degrees, ranging from 65 to 85. The solid line with circular markers shows the refractive index, which starts at approximately 37 at 250 nm, dips slightly, then rises to a sharp peak of about 39.5 at 380 nm before gradually decreasing to around 15.5 at 1000 nm. The dashed line with circular markers shows the extinction coefficient, which starts at approximately 82 at 250 nm and decreases steadily across the entire wavelength range, reaching about 66 at 1000 nm.

Wavelength (nm)	Refractive Index (n) [Psi IN DEGREES]	Extinction Coefficient (k) [DELTA IN DEGREES]
250	37.0	82.0
300	34.0	78.0
350	38.0	74.0
380	39.5	72.0
400	38.0	71.0
500	32.0	68.0
600	25.0	67.0
800	17.0	66.0
1000	15.5	66.0

FIG. 7





FIG. 8





DAH  
DAB  
FIG.9




FIG.10B

FIG.10A

0966745-100191




FIG. 11




FIG.12A




FIG.12B




FIG.12C

0966745 100101




FIG. 13A




FIG. 13B

0966745 100101




FIG.14




FIG.15




FIG.16




FIG.17A






FIG.17B







ORGANIC SUPERLATTICE

FIG.19